

To: "Mumford, David" [MumfordD@ci.billings.mt.us]
Cc: "Mathieus, George" [gemathieus@mt.gov]; Urban, Eric" [EUrban@mt.gov]; ina Laidlaw/MO/R8/USEPA/US@EPA;"McInnis, Amanda [Amanda.McInnis@hdrinc.com] (Amanda.McInnis@hdrinc.com)" [Amanda.McInnis@hdrinc.com]; McInnis, Amanda [Amanda.McInnis@hdrinc.com] (Amanda.McInnis@hdrinc.com)" [Amanda.McInnis@hdrinc.com]
From: "Suplee, Mike"
Sent: Thur 1/31/2013 6:55:07 PM
Subject: Updated draft nutrient rule package
[CircularDEQ12_v6.6.docx](#)
[NtrntStnds_v7.7StrmntRN_tt.docx](#)

Hi Dave;

Attached are the updated rule package and DEQ-12, per your request. These document reflect the most current thinking on nutrient criteria implementation. I will send the guidance document in a separate email in a zip file as it is large.

I updated in track changes the versions of these documents that were provided to the Water Pollution Control Advisory Council (WPCAC) late last summer. The WPCAC versions were one generation newer than what the League and others commented on earlier last summer, so they may not look exactly like what you have from that time.

George asked, if you could, to please let us know if there is anything in these documents you have major concerns about by next week. If you are reasonably satisfied with them as-is, then he wants to go ahead and set up a NWG meeting and send the documents to the larger group.

Again, I will email the guidance document in a ZIP file in a separate email.

Thanks,

Mike



DEPARTMENT CIRCULAR

DRAFT

DEQ-12, PARTS A and B

**Montana Base Numeric Nutrient Standards
and Nutrient Standards Variances**

GENERAL INTRODUCTION

This circular contains information pertaining to the base numeric nutrients standards (§75-5-103[2], MCA) and their implementation. It is divided into **Parts A** and **B**. **Part A** contains the water quality standards including concentration limits, where they apply, and their period of application. **Part A** is adopted by the Board of Environmental Review under its rulemaking authority in §75-5-301(2), MCA.

Part B contains information about variances from the base numeric nutrient standards. This includes effluent treatment requirements associated with general nutrient standards variances, as well as effluent treatment requirements for individual nutrient standards variances and to whom these apply. **Part B** also contains the Department's definition of the total nitrogen (TN) and total phosphorus (TP) concentrations achievable at the limits of technology. Unlike **Part A**, **Part B** is not adopted by the Board of Environmental Review; **Part B** is adopted by the Department following its formal rule making process, pursuant to §75-5-313, MCA.

The Department has reviewed a considerable amount of scientific literature and has carried out scientific research on its own in order to derive the base numeric nutrient standards (see **References** in **Part A**). Because many of the base numeric nutrient standards are stringent and may be difficult for MPDES permit holders to meet in the short term, Montana's legislature adopted laws (e.g., §75-5-313, MCA) allowing for the achievement of the standards over time via the variance procedures in **Part B**. This approach should allow time for nitrogen and phosphorus removal technologies to improve and become less costly, and to allow time for nonpoint sources of nitrogen and phosphorus pollution to be better addressed.

Circular DEQ-12, PART A

FEBRUARY 2013 EDITION

1.0 Introduction

Elements comprising Circular DEQ-12, **Part A** are found below. These elements are adopted by the Montana Board of Environmental Review. The nitrogen and phosphorus concentrations provided here have been set at levels that will protect beneficial uses, and prevent exceedences of other surface water quality standards which are commonly linked to nitrogen and phosphorus concentrations (e.g., pH and dissolved oxygen; see Circular DEQ-7 for these standards). The nitrogen and phosphorus concentrations also reflect the intent of the narrative standard at ARM 17.30.637(1)(e), and will preclude the need for case-by-case interpretations of that standard.

1.1 Definitions

1. **Ecoregion** means mapped regions of relative homogeneity in ecological systems, derived from perceived patterns of a combination of causal and integrative factors including land use, land surface form, potential natural vegetation, soils, and geology. See also, endnote 1.
2. **Large river** means a perennial waterbody which has, during summer and fall baseflow (August 1 to October 31 each year), a wadeability index (product of river depth [in feet] and mean velocity [in ft/sec]) of 7.24 ft²/sec or greater, a depth of 3.15 ft or greater, or a baseflow annual discharge of 1,500 ft³/sec or greater. See also, endnote 5.
3. **Soluble reactive phosphorus** means dissolved orthophosphate, as P, determined by direct colorimetry from a filtered sample. The pore size of the filter used must be 0.45 µm. The RRV for soluble reactive phosphorus is 3 micrograms per liter.
4. **Total nitrogen** means the sum of all nitrate, nitrite, ammonia, and organic nitrogen, as N, in an unfiltered water sample. Total nitrogen in a sample may also be determined via persulfate digestion, or as the sum of total kjeldahl nitrogen plus nitrate plus nitrite.
5. **Total phosphorus** means the sum of orthophosphates, polyphosphates, and organically bound phosphates, as P, in an unfiltered water sample. Total phosphorus may also be determined directly by persulfate digestion.
6. **Wadeable stream** means a perennial or intermittent stream in which most of the wetted channel is safely wadeable by a person during baseflow conditions.

2.0 Base Numeric Nutrient Standards

Table 12A-1 below shows the base numeric nutrient standards for Montana’s wadeable streams and large rivers. Details on how these standards were derived can be found mainly in Suplee et al. (2008), Suplee and Watson (2012), and Flynn and Suplee (2011). In **Table 12A-1** nutrient standards for wadeable streams are sub-grouped by ecoregion, either at level III (coarse scale) or level IV (fine scale). Following the ecoregional standards is a list of wadeable streams with reach-specific standards; these waterbodies have characteristics dissimilar from those of the ecoregions in which they reside and have therefore been provided reach-specific values. **For wadeable streams, the standards should be applied in this order: reach specific (if applicable) then level IV ecoregion (if applicable) then level III ecoregion.** **Table 12A-1** also contains a list of large river segments for which base numeric nutrient standards have been developed.

Table 12A-2 contains base numeric nutrient standards for Montana’s lakes and reservoirs. The Department has not yet developed regional lake criteria but it is expected that when they are developed they will be sub-grouped by ecoregion. As such, placeholders for future ecoregionally-based criteria are provided in the table. The table also provides lake-specific standards. The Department anticipates that reservoir standards will generally be developed case-by-case and, therefore, will be individually listed, as provided for in the table.

DRAFT

Table 12A-1. Base Numeric Nutrient Standards for Wadeable Streams in Different Montana Ecoregions, and Base Numeric Nutrient Standards for Individual Wadeable-stream and Large-river Reaches. Related assessment information is also shown.

| | | Numeric Nutrient Standard ⁴ | | |
|--|---|--|-----------------------|--|
| Ecoregion ^{1,2} (level III or IV) and Number, or Individual Reach Description | Period When Criteria Apply ³ | Total Phosphorus (µg/L) | Total Nitrogen (µg/L) | Related Assessment Information ⁵ |
| ECOREGION (level III or IV): | | | | |
| Northern Rockies (15) | July 1 to September 30 | 30 | 300 | 125 mg Chla /m ² and 35 g AFDM/m ² |
| Canadian Rockies (41) | July 1 to September 30 | 25 | 350 | 125 mg Chla /m ² and 35 g AFDM/m ² |
| Idaho Batholith (16) | July 1 to September 30 | 30 | 300 | 125 mg Chla /m ² and 35 g AFDM/m ² |
| Middle Rockies (17) | July 1 to September 30 | 30 | 300 | 125 mg Chla /m ² and 35 g AFDM/m ² |
| Absaroka-Gallatin Volcanic Mountains (17i) | July 1 to September 30 | 105 | 250 | 125 mg Chla /m ² and 35 g AFDM/m ² |
| Northwestern Glaciated Plains (42) | June 16 to September 30 | 110 | 1400 | |
| Sweetgrass Upland (42l), Milk River Pothole Upland (42n), Rocky Mountain Front Foothill Potholes (42q), and Foothill Grassland (42r) | July 1 to September 30 | 80 | 560 | 165 mg Chla /m ² and 70 g AFDM/m ² |
| Northwestern Great Plains (43) and Wyoming Basin (18) | July 1 to September 30 | 140 | 1400 | |
| River Breaks (43c) | NONE RECOMMENDED | NONE RECOMMENDED | NONE RECOMMENDED | |
| Non-calcareous Foothill Grassland (43s), Shields-Smith Valleys (43t), Limy Foothill Grassland (43u), Pryor-Bighorn Foothills (43v), and Unglaciated Montana High Plains (43o)* | July 1 to September 30 | 33 | 440 | 125 mg Chla /m ² and 35 g AFDM/m ² |
| INDIVIDUAL REACHES (Wadeable Streams): | | | | |
| Flint Creek, from Georgetown Lake outlet to the ecoregion 17ak boundary (46.4002, -113.3055) | July 1 to September 30 | 72 | 500 | 150 mg Chla /m ² and 45 g AFDM/m ² |
| Bozeman Creek, from headwaters to Forest Service Boundary (45.5833, -111.0184) | July 1 to September 30 | 105 | 250 | 125 mg Chla /m ² and 35 g AFDM/m ² |
| Bozeman Creek, from Forest Service Boundary (45.5833, -111.0184) to mouth at East Gallatin River | July 1 to September 30 | 76 | 270 | 125 mg Chla /m ² and 35 g AFDM/m ² |
| Hyalite Creek, from headwaters to Forest Service Boundary (45.5833,-111.0835) | July 1 to September 30 | 105 | 250 | 125 mg Chla /m ² and 35 g AFDM/m ² |
| Hyalalite Creek, from Forest Service Boundary (45.5833,-111.0835) to mouth at East Gallatin River | July 1 to September 30 | 90 | 260 | 125 mg Chla /m ² and 35 g AFDM/m ² |
| East Gallatin River between Bozeman Creek and Bridger Creek confluences | July 1 to September 30 | 50 | 290 | 125 mg Chla /m ² and 35 g AFDM/m ² |
| East Gallatin River between Bridger Creek and Hyalite Creek confluences | July 1 to September 30 | 30 | 300 | 125 mg Chla /m ² and 35 g AFDM/m ² |
| East Gallatin River from Hyalite Creek confluence to the mouth (Gallatin River) | July 1 to September 30 | 60 | 290 | 125 mg Chla /m ² and 35 g AFDM/m ² |
| Clark Fork River ⁶ from below the Warm Springs Creek confluence (46.1881, -112.7680) to the Bitterroot River confluence | July 1 to September 30 | 20 | 300 | See endnote 7 |
| INDIVIDUAL REACHES (Large Rivers ⁶): | | | | |
| Clark Fork River ⁶ from the Bitterroot River confluence to the Flathead River confluence | July 1 to September 30 | 24 | 300 | See endnote 7 |
| Yellowstone River (Bighorn River confluence to Powder River confluence) | August 1 -October 31 | 100 | 750 | |
| Yellowstone River (Powder River confluence to stateline) | August 1 -October 31 | 150 | 1150 | 150 mg Chla /m ² |

*For the Unglaciated High Plains ecoregion (43o), criteria only apply to the polygon located just south of Great Falls, MT.

¹ See endnote 1

⁴ See endnote 4

⁷ See endnote 7

² See endnote 2

⁵ See endnote 5

³ See endnote 3

⁶ See endnote 6

Table 12A-2. Base Numeric Nutrient Standards, Other Standards, and Related Assessment Information for Lakes and Reservoirs.

| Table 12A-2: Base Numeric Nutrient Standards, Other Standards, and Related Assessment Information for Lakes and Reservoirs | | | | | |
|--|-----------------------|--|----------------|---|--|
| Ecoregion ¹ (level III or IV) and Number, or Individual Lake or Reservoir Description | Period of Application | Numeric Nutrient Standard ⁸ | | Other Standards ⁹ | Related Assessment Information ⁵ |
| | | Total P (µg/L) | Total N (µg/L) | | |
| LAKES/RESERVOIRS by ecoregion: | | | | | |
| Middle Rockies (17) | Year-round | [] | [] | | |
| Northern Rockies (15) | Year-round | [] | [] | | |
| Canadian Rockies (41) | Year-round | [] | [] | | |
| Idaho Batholith (16) | Year-round | [] | [] | | |
| LAKE SPECIFIC CRITERIA: | | | | | |
| Flathead Lake ¹⁰ | Year-round | 5.0 | 95 | Secchi depth ≥ 10.4 m during non turbidity-plume conditions. Phytoplankton chlorophyll <i>a</i> 1.0 µg/L, expressed as an annual average. | The following parameters expressed as annual averages: soluble reactive phosphorus (SRP), 0.5 µg/L; nitrate + nitrite (NO ₂₊₃), 30 µg/L. |
| RESERVOIR SPECIFIC CRITERIA: | | | | | |
| | Year-round | [] | [] | | |

¹ See endnote 1¹⁰ See endnote 10⁵ See endnote 5⁸ See endnote 8⁹ See endnote 9

DRAFT

2.1 Required Reporting Values for Base Numeric Nutrient Standards

Table 12A-3 presents the required reporting values for total phosphorus and total nitrogen, as well as the RRVs for nitrogen fractions that can be used to compute total nitrogen.

Table 12A-3. Required reporting values^{a,b} for total nitrogen and phosphorus measurements.

| Nutrient | | Method of Measurement | Required Reporting Value |
|------------------------|---------|-----------------------------|--------------------------|
| Total phosphorus | | Persulfate digestion | 3 µg/L |
| Total nitrogen | | Persulfate digestion | 70 µg/L |
| Total nitrogen | Sum of: | (a) total kjeldahl nitrogen | 150 µg/L |
| | | (b) nitrate + nitrite | See RRVs below |
| Nitrate- as N | | | 20 µg/L |
| Nitrite- as N | | | 10 µg/L |
| Nitrate + Nitrite-as N | | | 20 µg/L |

^a See definition for required reporting values found in footnote 19 of Department Circular DEQ-7.

^b Concentrations in Table 12A-3 must be achieved unless otherwise specified in a permit, approval, or authorization issued by the Department (DEQ-7; ARM 17.30.702).

2.2 Developing Permit Limits for Base Numeric Nutrient Standards

For total nitrogen and total phosphorus, the critical low-flow for the design of disposal systems shall be based on the seasonal 14Q5 of the receiving water (ARM 17.30.635[4]). When developing permit limits for base numeric nutrient standards, the Department will use an average monthly limit (AML) only, using methods appropriate for criterion continuous concentrations (i.e., chronic concentrations). Permit limits will be established using a value corresponding to the 95th percentile probability distribution of the effluent. Nitrogen and phosphorus concentrations of the receiving waterbody upstream of the discharge may be characterized using other frequency distribution percentiles. The Department shall use methods that are appropriate for criterion continuous concentrations which are found in the document *“Technical Support Document for Water Quality-based Toxics Control”*, Document No. EPA/505/2-90-001, United States Environmental Protection Agency, 1991.

3.0 Endnotes

- (1) Ecoregions are based on the 2009 version (version 2) of the U.S. Environmental Protection Agency maps. These can be found at: http://www.epa.gov/wed/pages/ecoregions/mt_eco.htm . For Geographic Information System (GIS) use within the Department, the GIS layers may be found at: L:\DEQ\Layers\Ecoregions.lyr
- (2) Within and among the geographic regions or watersheds listed, base numeric nutrient standards of the downstream reaches or other downstream waterbodies must continue to be maintained.
- (3) For the purposes of ambient surface water monitoring and assessment only, a ten day window (plus/minus) on the beginning and ending dates of the period when the criteria apply is allowed in order to accommodate year-specific conditions (an early-ending spring runoff, for example).
- (4) The 30 day average concentration of these parameters may not be exceeded more than once in any five year period, on average.
- (5) Related assessment information comprises water quality variables besides total nutrients that are important for assessing eutrophication in waterbodies. In **Table 12A-1**, the values shown refer to bottom-attached (benthic) algae density quantified as chlorophyll *a* (Chl*a*) or ash free dry mass (AFDM) per square meter of stream bottom. The values are the arithmetic mean of ≥10 replicate measures of benthic algae collected in the wadeable zone (water depths ≤ 1m) from a site during a sampling event. A site is a reach of a stream ≥100 m long but <500 m long or, for some larger streams reaches and for large rivers, may be a transect perpendicular to flow. Algae replicates must be collected in the wadeable zone of streams and rivers using a randomized approach or other, unbiased systematic approaches. Chl*a* and AFDM are used to assess the biomass of algae accumulated on the stream bottom; algae is stimulated by excess nitrogen and phosphorus levels and is associated with (for example) impacts to recreational uses and impacts to stream dissolved oxygen levels.
- (6) **Table E-1** below shows the beginning and ending locations for large rivers in Montana.

Table E-1. Large river segments within the state of Montana.

| River Name | Segment Description |
|---------------------------|--------------------------------|
| Big Horn River | Yellowtail Dam to mouth |
| Clark Fork River | Bitterroot River to state-line |
| Flathead River | Origin to mouth |
| Kootenai River | Libby Dam to state-line |
| Madison River | Ennis Lake to mouth |
| Missouri River | Origin to state-line |
| South Fork Flathead River | Hungry Horse Dam to mouth |
| Yellowstone River | State-line to state-line |

(7) Benthic algal chlorophyll *a* levels were first adopted as water quality standards for these reaches of the Clark Fork River in 2002 (see MAR p. 2196, Eff. 8/16/2002). The standards are: 100 mg Chl*a*/m² (summer mean), and 150 mg Chl*a*/m² (maximum), and their period of application shall be July 1st to September 30th each year. The summer mean is the arithmetic mean of the set of all benthic algae replicates collected at a site during a given summer. The maximum summer algae value is the single greatest of any of the monthly mean Chl*a* values from a given site. There is only one month each summer representing the maximum.

(8) No lake or reservoir in **Table 12A-2** shall have a total nutrient concentration that exceeds the values shown based upon an annual average. The Department will determine on a case-by-case basis whether or not a permitted discharge to a stream or river is likely to be affecting any downstream lake or reservoir. If yes, the permittee would be required to meet its average monthly limit year round.

(9) Parameters listed under this column are standards specific to lakes and reservoirs.

(10) Standards and related assessment information (excluding secchi depth) are to be determined from 0-30 m depth-integrated samples. Samples and secchi depth measurements are to be collected at the Midlake Deep site which is located approximately 1 mile west of Yellow Bay Point in a pelagic area of the lake (approximately at latitude 47.861, longitude -114.067).

4.0 References

The following are citations for key scientific and technical literature used to derive the base numeric nutrient standards. This is not a complete list; rather, it contains the most pertinent citations. Many other articles and reports were reviewed during the development of the standards.

Biggs, B.J.F., 2000. New Zealand Periphyton Guideline: Detecting, Monitoring and Managing Enrichment in Streams. Prepared for the New Zealand Ministry of the Environment, Christchurch, 122 p.

Dodds, W.K., V.H. Smith, and B. Zander, 1997. Developing Nutrient Targets to Control Benthic Chlorophyll Levels in Streams: A Case Study of the Clark Fork River. Water Research 31: 1738-1750.

- Dodds, W.K., V.H. Smith, and K. Lohman, 2002. Nitrogen and Phosphorus Relationships to Benthic Algal Biomass in Temperate Streams. *Canadian Journal of Fisheries and Aquatic Sciences* 59: 865-874.
- Dodds, W.K., V.H. Smith, and K. Lohman, 2006. Erratum: Nitrogen and Phosphorus Relationships to Benthic Algal Biomass in Temperate Streams. *Canadian Journal of Fisheries and Aquatic Sciences* 63: 1190-1191.
- Elser, J.J., M.E.S. Bracken, E.E. Cleland, D.S. Gruner, W.S. Harpole, H. Hillebrand, J.T. Ngai, E.W. Seabloom, J.B. Shurin, and J.E. Smith, 2007. Global Analysis of Nitrogen and Phosphorus Limitation of Primary Producers in Freshwater, Marine and Terrestrial Ecosystems. *Ecology Letters* 10: 1135-1142.
- Flynn, K., and M.W. Suplee, 2010. Defining Large Rivers in Montana using a Wadeability Index. Helena, MT: Montana Department of Environmental Quality, 14 p.
- Flynn, K., and M.W. Suplee, 2011. Using a Computer Water Quality Model to Derive Numeric Nutrient Criteria. Lower Yellowstone River, MT. WQPBMSTECH-22. Helena, MT: Montana Department of Environmental Quality, 274 p plus appendices.
- McCarthy, P.M., 2005. Statistical Summaries of Streamflow in Montana and Adjacent Areas, Water years 1900 through 2002. U.S. Geological Survey Scientific Investigations Report 2004-5266, 317 p.
- Omernik, J.M., 1987. Ecoregions of the Conterminous United States. *Annals of the Association of American Geographers* 77: 118-125.
- Smith, R.A., R.B. Alexander, and G.E. Schwarz, 2003. Natural Background Concentrations of Nutrients in Streams and Rivers of the Conterminous United States. *Environmental Science and Technology* 37: 3039-3047.
- Sosiak, A., 2002. Long-term Response of Periphyton and Macrophytes to Reduced Municipal Nutrient Loading to the Bow River (Alberta, Canada). *Canadian Journal of Fisheries and Aquatic Sciences* 59: 987-1001.
- Stevenson, R.J., S.T. Rier, C.M. Riseng, R.E. Schultz, and M.J. Wiley, 2006. Comparing Effects of Nutrients on Algal Biomass in Streams in Two Regions with Different Disturbance Regimes and with Applications for Developing Nutrient Criteria. *Hydrobiologia* 561: 149-165.
- Suplee, M., R. Sada de Suplee, D. Feldman, and T. Laidlaw, 2005. Identification and Assessment of Montana Reference Streams: A Follow-up and Expansion of the 1992 Benchmark Biology Study. Helena, MT: Montana Department of Environmental Quality, 41 p.
- Suplee, M.W., A. Varghese, and J. Cleland, 2007. Developing Nutrient Criteria for Streams: An Evaluation of the Frequency Distribution Method. *Journal of the American Water Resources Association* 43: 453-472.

- Suplee, M.W., V. Watson, A. Varghese, and J. Cleland, 2008. Scientific and Technical Basis of the Numeric Nutrient Criteria for Montana's Wadeable Streams and Rivers. Helena, MT: Montana Department of Environmental Quality, 86 p.
- Suplee, M.W. and V. Watson, 2012. Scientific and Technical Basis of the Numeric Nutrient Criteria for Montana's Wadeable Streams and Rivers: Addendum 1 (Final Draft). Helena, MT: Montana Department of Environmental Quality, 76 p.
- Suplee, M.W., V. Watson, M. Teply, and H. McKee, 2009. How Green is too Green? Public Opinion of what Constitutes Undesirable Algae Levels in Streams. *Journal of the American Water Resources Association* 45: 123-140.
- Suplee, M.W., and R. Sada de Suplee, 2011. Assessment Methodology for Determining Wadeable Stream Impairment Due to Excess Nitrogen and Phosphorus Levels. Helena, MT: Montana Department of Environmental Quality
- Suplee, M.W., V. Watson, W.K. Dodds, and C. Shirley, 2012. Response of Algal Biomass to Large Scale Nutrient Controls on the Clark Fork River, Montana, United States. *Journal of the American Water Resources Association* 48: 1008-1021.
- U.S. Environmental Protection Agency, 2000a. Nutrient Criteria Technical Guidance Manual, Rivers and Streams. United States Environmental Protection Agency, EPA-822-B00-002. Washington, D.C.
- U.S. Environmental Protection Agency, 2000b. Nutrient Criteria Technical Guidance Manual, Lakes and Reservoirs. United States Environmental Protection Agency, EPA-822-B00-001. Washington, D.C.
- Varghese, A., and J. Cleland, 2005. Seasonally Stratified Water Quality Analysis for Montana Rivers and Streams-Final Report. Prepared by ICF International for the Montana Department of Environmental Quality, 44 p plus appendices.
- Varghese, A., J. Cleland, and B. Dederick, 2008. Updated Statistical Analyses of Water Quality Data, Compliance Tools, and Change point Assessment for Montana Rivers and Streams. Prepared by ICF International for the Montana Department of Environmental Quality under agreement No. 205031, task order 5.
- Woods, A.J., J.M. Omernik, J.A. Nesser, J. Sheldon, J.A. Comstock, and S. J. Azevedo, 2002. Ecoregions of Montana, 2nd edition. (Color Poster with Map, Descriptive Text, Summary Tables, and Photographs): Reston, Virginia, U.S. Geological Survey (map scale 1:1,500,000).

Circular DEQ-12, PART B

FEBRUARY 2013 EDITION

1.0 Introduction

Elements comprising Circular DEQ-12, **Part B** are found below. These elements are adopted by the Department following the Department's formal rule making process. Montana state law (§75-5-103 [22], MCA and 75-5-313, MCA) allows for variances from the base numeric nutrient standards (found in **Part A** of this circular) based on a determination that base numeric nutrient standards cannot be achieved because of economic impacts, the limits of technology, or both.

1.1 Definitions

1. **Limits of technology** means wastewater treatment processes for the removal of nitrogen and phosphorus compounds from wastewater that can consistently achieve a concentration of 70 µg TP/L and 4,000 µg TN/L.
2. **Long-term average** means a description of effluent data from a treatment system using standard descriptive statistics and an assumption that the data follow a lognormal distribution. See also, "*Technical Support Document for Water Quality-based Toxics Control*", Document No. EPA/505/2-90-001, United States Environmental Protection Agency, 1991.

2.0 General Nutrient Standards Variances

Because the treatment of wastewater to base numeric nutrient standards in 2011 would have resulted in substantial and widespread economic impacts on a statewide basis (§75-5 -313 [5][a], MCA), a permittee who meets the end-of-pipe treatment requirements provided below in **Table 12B-1** may apply for and DEQ shall approve a general nutrient standards variance ("general variance") (§75-5 -313 [5][b], MCA). The Department will process the general variance request through the discharge permit, and include information on the period of the variance and the interim requirements. A person may apply for a general variance for either total phosphorus or total nitrogen, or both. The general variance may be established for a period not to exceed 20 years. A compliance schedule to meet the treatment requirements shown in **Table 12B-1** may be granted on a case-by-case basis.

Cases will arise in which a permittee is or will be discharging effluent with N and/or P concentrations lower than (i.e., better than) the minimum requirements of a general variance. And yet, the resulting concentrations outside of the mixing zone still exceed the base numeric nutrient standards. Such discharges are still within the scope of the general variance, because the statute contemplates that a general variance is allowable if the permittee treats the discharge to, **at a minimum**, the concentrations indicated by §75-5-313(5)(b)(i) and (ii), MCA. Thus, permitted discharges better than those at §75-5-313(5)(b)(i) and (ii), MCA are not precluded from falling under a general variance.

Table 12B-1. General variance end-of-pipe treatment requirements per §MCA 75-5 -313(5)(b), through May 2016.

| Discharger Category ¹ | Long-term Average | |
|---|------------------------------|------------------------------|
| | Total P (µg/L) | Total N (µg/L) |
| ≥ 1.0 million gallons per day | 1,000 | 10,000 |
| < 1.0 million gallons per day | 2,000 | 15,000 |
| Lagoons not designed to actively remove nutrients | Maintain current performance | Maintain current performance |

¹ See endnote 1

The Department must review the general variance treatment requirements every 3 years to assure that the justification for their adoption remains valid. The review will not take place before June 1, 2016, and will occur triennially thereafter. The purpose of the review is to determine whether there is new information that supports modifying (e.g., revising the interim effluent treatment requirements) or deleting the variance. If a low-cost technological innovation for lowering nitrogen and phosphorus concentrations in effluent were to become widely available in the near future, for example, the Department could (after May 2016) make more stringent the concentrations shown in **Table 12B-1**. If, after May 2016, the Department were to adopt general variance treatment requirements more stringent than those provided in **Table 12B-1**, revised effluent limits will be included with the permit during the next permit cycle, unless the demonstration discussed in **Section 2.2** below is made. A compliance schedule may also be granted to provide time to achieve compliance with revised effluent limits.

The Department and the Nutrient Work Group will consider specific factors, listed below in this paragraph, when determining whether the general variance treatment requirements must be updated in accordance with §75-5-313(7)(a) and (b), MCA. The review will occur triennially and will be carried out at a state-wide scale, i.e., the Department will consider the aggregate economic impact to dischargers within a category (the > 1 MGD category, for example).

1. Whether more cost-effective, efficient, and innovative nutrient removal technologies are available.
2. Whether Montana's economic status had changed sufficiently to make nutrient removal more affordable. If new technologies (per 1 above) have not become widely available, the Department will estimate on a statewide basis the cost for facilities within a category (per §75-5-313(5)(b)(i) and (ii), MCA) to move to the next more stringent nutrient treatment level. Nutrient treatment

levels are defined in Falk et al. (2011)¹.

3. Whether development of permit limits for base numeric nutrient standards should be revised to reflect N- or P-compound speciation and bioavailability.

Based on the triennial review findings and conclusions, the Department will issue a rulemaking proposal for public comment on the general variances. The proposal will solicit comments from the public on whether the variance should be: (1) re-adopted without changes, (2) re-adopted with changes, or (3) deleted. Based on the review conclusions and public comment, the Department will revise Montana's water quality standards to reflect either (1) new interim limits to apply during the variance or (2) the continuation of the previous interim limits.

2.1 Wastewater Facility Optimization Study

Permittees receiving a general variance are required to evaluate current facility operations in order to optimize nutrient reduction with existing infrastructure and shall analyze cost-effective methods of reducing nutrient loading, including but not limited to nutrient trading without substantial investment in new infrastructure (§75-5-313[9][a], MCA). The Department encourages permittees to examine a full array of reasonable options including (but not limited to) reuse, recharge, and land application. The Department may request the results of the optimization/nutrient reduction analysis within two years of granting a general variance to a permittee.

Changes to facility operations resulting from the analysis carried out as above are only intended to be refinements to the wastewater treatment system already in place. Therefore, optimizations:

1. Should only address changes to facility operation and maintenance and should not be structural changes
2. Should not result in rate increases
3. Must include exploration of the feasibility of nutrient trading within the watershed

How the analysis is to be conducted and by whom is left to the discretion of the permittee. The Department encourages the use of a third-party firm with expertise in this subject.

2.2 Option for Remaining at a Previous General Variance Long-term Average Based on Water Quality Modeling

In some cases a permittee may be able to demonstrate, using water quality modeling and reach-specific data, that greater emphasis on reducing one nutrient (target nutrient) will achieve the same desired

¹ See Endnote 2.

water-quality and biological conditions as can be achieved by emphasizing reduction of both nutrients. Requiring a point source discharger to immediately install sophisticated nutrient-removal technologies to reduce the non-target nutrient to levels more stringent than what is in statute at §75-5-313(5)(b), MCA may not be the most prudent nutrient control expenditure, and would cause the discharger to incur unnecessary economic expense. Since this relates to economic impacts, as described at §75-5-313(1), MCA, these situations are appropriately addressed by individual variances. If such a case can be demonstrated to the satisfaction of the Department, then a permittee can apply for an individual variance which will include discharger specific limits reflecting the highest attainable condition for the receiving water rather than limits based on any new general variance concentration. The permittee will be required to submit the demonstration with the proposed effluent limits to the Department for review. The demonstration must consider effects on the downstream waterbody including effects from the non-target nutrient; if the downstream waterbody will be impacted, some level of reduction on the target and/or non-target nutrient will likely be required or the individual variance will not be granted. In addition, the permittee will be required to provide monitoring water-quality data that can be used to determine if the justifications for less stringent effluent limits continue to hold true (i.e., status monitoring). Because status can change, for example due to substantive nonpoint source cleanups upstream of the discharger, status monitoring by the discharger is required. Details on the requirements for making the demonstration and for collecting the status monitoring data are provided in the Department guidance document *“Carrying out a Substantial and Widespread Economic Analysis for Individual Nutrient Standards Variances AND Guidelines for Determining an Individual Variance Based on Water Quality Modeling”*.

3.0 Individual Nutrient Standards Variances

Montana law allows for the granting of nutrient standards variances based on the particular economic and financial situation of a permittee (§75-5-313 [1], MCA). Individual nutrient standards variances (“individual variances”) may be granted on a case-by-case basis because the attainment of the base numeric nutrient standards is precluded due to economic impacts, limits of technology, or both. In general, individual variances are intended for permittees who would have financial difficulties meeting even the general variance concentrations, and are seeking individual N and P permit limits tailored to their specific economic situation, or to meet the requirements of **Section 2.2** above.

Like the general variance in **Section 2.0**, individual variances may be established for a period not to exceed 20 years and must be reviewed by the Department every three years to ensure that their justification remains valid. Unlike the general variances presented in **Section 2.0**, the Department will only grant an individual variance to a permittee after the permittee has made a demonstration to the Department regarding the economic impacts that would be incurred from meeting the standards. The Department, in conjunction with the Nutrient Work Group, has developed an assessment process that must be completed by applicants seeking an individual variance. The assessment process is found in the Department guidance document *“Carrying out a Substantial and Widespread Economic Analysis for Individual Nutrient Standards Variances AND Guidelines for Determining an Individual Variance Based on Water Quality Modeling”*.

A permittee, using the assessment process referred to above, must also demonstrate to the Department that there are no reasonable alternatives (including but not limited to trading, compliance schedules, reuse, recharge, and land application) that would allow compliance with the base numeric nutrient standards. If no reasonable alternatives exist, then an individual variance is justifiable and becomes effective and may be incorporated into a permit following the Department's formal rule making process. Like any variance, such variances must be adopted as revisions to Montana's standards and submitted to EPA for approval. Individual variances the Department may adopt in the future will be documented in **Table 12B-2** below.

For many individual variances, the basis will be the economic status of the community, i.e., the demonstration of substantial and widespread economic impacts. At each triennial review the Department will consider if the basic economic status of a community granted an individual variance has changed. The same parameters used to justify the original individual variance will be considered; these are detailed in the guidance document *"Carrying out a Substantial and Widespread Economic Analysis for Individual Nutrient Standards Variances AND Guidelines for Determining an Individual Variance Based on Water Quality Modeling"*. If new, low-cost nutrient removal technologies have become widely available, or if the economic status of the community has sharply improved, the basis of the variance may no longer be justified. In such cases the department will discuss with the permittee the options going forward, including but not limited to a permit compliance schedule, trading, reuse, recharge, land application, or a general variance.

Based on the triennial review findings and conclusions, the Department will issue a rulemaking proposal for public comment on the individual variances. The proposal will solicit comments from the public on whether each variance should be: (1) re-adopted without changes, (2) re-adopted with changes, or (3) deleted. Based on the review conclusions and public comment, the Department will revise Montana's water quality standards to reflect either (1) new interim limits to apply during the variance or (2) the continuation of the previous interim limits.

Table 12B-2. Table for individual variances that may be adopted.

| MPDES Number | Facility Name | Discharge Latitude | Discharge Longitude | Receiving Waterbody | Receiving Waterbody Classification | Long-term Average | | Start Date | Sunset Date (maximum) | Review Schedule (year) | Review Outcome |
|-----------------|---------------|-----------------------|------------------------|------------------------|--|-------------------|-------------------|------------|--------------------------|---------------------------|-------------------|
| | | | | | | Total P (µg/L) | Total N (µg/L) | | | | |
| | | | | | | | | | | | |

DRAFT

4.0 Endnotes

(1) Based on facility design flow.

(2) Falk, M.W., J.B. Neethling, and D.J. Reardon, 2011. Striking a Balance between Wastewater Treatment Nutrient Removal and Sustainability. Water Environment Research Foundation, document NUTR1R06n, IWA Publishing, London, UK.

DRAFT

NUTRIENT STANDARDS RULES (version 7.7) AND STATEMENTS OF REASONABLE NECESSITY

REASON: Overview of Why Base Numeric Nutrient Standards and Nutrient Standards Variances are Necessary.

The board or department is proposing the adoption of new rules and rule modifications. These are: New Rule I; new definitions; a new circular (DEQ-12 Part A, adopted by the board) which contains numeric nutrient standards for total nitrogen and total phosphorus; DEQ-12 Part B which addresses variances from the standards (DEQ-12 Part B is adopted by the department); incorporation of circular DEQ-12 Part A into the surface water quality classifications (ARM 17.30.622 through 17.30.629); modifications to the numeric nutrient standards for the Clark Fork River (ARM 17.30.631); a low flow for base numeric nutrient standards appropriate for the design of disposal systems (ARM 17.30.635[4]); and incorporation of DEQ-12 Part A into the nondegradation rules (ARM 17.30.702 and ARM 17.30.715).

The department has documented that various forms of nitrogen and phosphorus rank as the 4th, 8th, 10th, and 12th most common types of pollution in Montana's flowing waters. In fact, excess nitrogen and phosphorus levels account for 17% of all stream miles impaired by all forms of water pollution in Montana. The intent of the proposed nutrient standards is to control the undesirable effects of eutrophication. Eutrophication is the enrichment of a waterbody (e.g., a stream or lake) by nitrogen and phosphorus, which leads to increased plant and algae growth and decay and all the consequential changes to the water quality that occur as a result. At present the state does not have numeric water quality standards for controlling eutrophication except on the Clark Fork River. Therefore, in most cases, permit limits (including waste load allocations determined in Total Maximum Daily Loads, i.e. TMDLs) are based upon the narrative water quality standard. The narrative standard prohibits substances in water that "create conditions which produce undesirable aquatic life" (ARM 17.30.637[1][e]). Translating the narrative standard into enforceable permit limits on a case-by-case basis is time-consuming, potentially controversial, and may result in inconsistent or differing permit limits due to various interpretations among permit or TMDL writers. Numeric nutrient criteria will resolve this.

The effects of excess nitrogen and phosphorus in streams and rivers go well beyond the undesirable aquatic life referred to in the narrative standard. Excess nitrogen and phosphorus affect other water quality parameters for which the state already has standards (dissolved oxygen, pH). The state-of-the-science is such that linkages can clearly be made between nitrogen and phosphorus concentrations and these other, already-adopted standards. Thus, the numeric nutrient criteria will also assure protection and attainment of the state's dissolved oxygen and pH standards which are, in and of themselves, critical to the protection of fish and aquatic life.

The nutrient criteria concentrations being proposed for adoption as standards are generally low, particularly in the western region of Montana. In many cases the concentrations are below the limits of current wastewater treatment technology, particularly for nitrogen, therefore when little or no stream dilution is available dischargers will find it difficult to meet the standards. Senate Bill 95 (2009 Legislature) and Senate Bill 367 (2011 Legislature), now codified at §75-5-313, MCA addressed the high cost and technological difficulties associated with meeting the nutrient standards in the short term. State law at §75-5-313, MCA allows dischargers

to be granted variances from numeric nutrient standards—once the criteria have been adopted as standards—in those cases where meeting the standards today would be unreasonably economically burdensome or technologically infeasible. Variances from the standards may be granted for up to twenty years. Thus, statute at §75-5-313, MCA allows for the nutrient standards to be met in a staged manner over time as alternative effluent management methods are considered, nutrient removal technologies become more cost-effective and efficient, and nonpoint sources of nutrients are addressed.

Rules or rule modifications (and Reasons thereof) that implement §75-5-313, MCA are mainly found below in New Rule I, however they are found throughout ARM Title 17, chapter 30, subchapters 6 and 7; specific details are provided in the Reasons for each rule amendment proposal.

NEW RULE I: NUTRIENT STANDARDS VARIANCES

- (1) A person may apply to the department for a nutrient standards variance at any time following the board's adoption of base numeric nutrient standards.
- (2) An application for an individual variance must provide adequate demonstration that there are no reasonable alternatives that eliminate the need for a variance and that attainment of the base numeric nutrient standards is precluded due to economic impacts, the limits of technology, or both. If the demonstration relies upon economic impacts, the demonstration must be consistent with the guidelines developed by the department and the nutrient work group, as provided in 75-5-313(2), MCA.
- (3) The department may propose adoption of an individual variance that specifies interim effluent limits different from what would apply under an updated (i.e., more stringent than 75-5-313(5)(b), MCA) general variance where water quality modeling demonstrates that greater emphasis on the reduction of one nutrient may achieve equivalent water quality and biological improvements as the equal reduction of both nitrogen and phosphorus. Such effluent limits shall reflect the lowest effluent concentration that is feasible based on achieving the highest attainable condition for the receiving water. A person must submit the proposed effluent limits and supporting data in any demonstration they make for an application for an individual nutrient variance under paragraph (2).
 - (a) Any person who has effluent limits in their individual variance based on paragraph (3) must collect and submit water quality data to demonstrate in each subsequent triennial review that the status of the receiving water continues to justify those effluent limits. Data collection must be consistent with guidelines developed by the department and the nutrient work group.
- (4) The department shall review each application for an individual variance to determine whether a reasonable alternative, such as trading, a permit compliance schedule, a general variance, reuse, recharge, or land application would eliminate the need for an individual variance. If the department makes a preliminary finding that a reasonable alternative to approving an individual variance is available, the department shall consult with the applicant prior to making a final decision to approve or deny the individual variance.
- (5) If, after consultation with the applicant, the department determines that no reasonable alternative to an individual variance exists, the department must determine whether the information provided by the applicant in (2) adequately demonstrates that attaining the base numeric nutrient standards is not feasible. If the department finds that attaining the base numeric nutrient standards is not feasible,

the department shall approve an individual variance, which will become effective and incorporated into the applicant's permit only after adoption by the department in a formal rulemaking proceeding. Like any variance, such variances must be adopted as revisions to Montana standards, reviewed on a triennial basis, and submitted to EPA for approval.

(6) An application for a general variance must provide information demonstrating that the wastewater treatment facility meets the requirements of 75-5-313(5)(b), MCA, or updated concentrations subsequently adopted by the department. The decision to grant the general variance will be reflected in the permit that is made available for public comment.

(7) Based on the triennial review findings and conclusions, and with respect to both general and individual variances, the department will issue a rulemaking proposal for public comment. The proposal will solicit comments from the public on whether each variance should be: (1) re-adopted without changes, (2) re-adopted with changes, or (3) deleted. This will include general variance categories and the interim limits for each category, but not identification of specific facilities included in each category (as discussed in paragraph (6)). Based on the review conclusions and public comment, the department will revise Montana's water quality standards to reflect either (1) new interim limits to apply during the variance or (2) the continuation of the previous interim limits. (8) A variance is not needed in situations where a person complies with the waste load allocation established in an approved TMDL.

REASON: The Board is proposing New rule I (1) through (8) to implement Senate Bill 95 (2009 legislature) and Senate Bill 367 (2011 Legislature), which are codified at §75-5-313, MCA. New Rule I (1), (2), (3), (4), and (5) provide the department a process to determine whether a person may be granted an individual nutrient standards variance. In New Rule I (1), it is made clear that individual variances are available only after the time that the board adopts numeric nutrient criteria as standards. New Rule I (2) requires the applicant to explore alternatives to discharging that may preclude the need for a variance. New Rule I (3) addresses the situation where water quality modeling for a river or stream segment indicates that greater reduction of one nutrient can achieve the same desired physical or biological condition as reducing nitrogen and phosphorus equally. In such cases, requiring a point source discharger to immediately install sophisticated nutrient-removal technologies to reduce the concentration of the nutrient which is currently of less importance to levels more stringent than what is in statute (75-5-313(5)(b), MCA) may not be the most prudent nutrient control expenditure, and would cause the discharger to incur unnecessary economic expense. Since this relates to economic impacts, as described at 75-5-313(1), MCA, the department believes these situations are best addressed as individual variances. Nutrient limitation status of waterbodies can change, for example due to substantive nonpoint source cleanups upstream of the discharger, therefore status monitoring by dischargers receiving this type of individual variance is required per New Rule I (3)(a). The potential impacts to the downstream waterbody, including impacts from the non-target nutrient, must be given consideration in all cases where New Rule I (3) is invoked. As described in section 2.2 of DEQ-12 Part B, if a downstream waterbody will be impacted, some level of reduction on the target and/or non-target nutrient will likely be required, or the individual variance may not be granted. New Rule I (4) allows the department to consult with the applicant regarding what the department perceives to be the availability of reasonable alternatives which would preclude the need for the

individual variance. This consultation would occur before the department makes a final decision regarding the granting of the individual variance. If it results that no reasonable alternative can be identified, New Rule I (5) instructs the department to determine if the applicant has adequately demonstrated that attaining the standards is infeasible or would not result in water quality improvement. This will be undertaken using a guidance document developed by the department and the nutrient work group. The guidance document provides (a) a process to assess economic hardship that would be incurred by the applicant if the applicant were to meet the standards at the time of the application, and (b) a description of technical analyses (e.g., modeling, monitoring) that would need to be completed to demonstrate one nutrient is more important (and thus needs to be reduced) than the other. A definition in circular DEQ-12 Part B defining the limits of technology for nutrient removal is also available for those cases where the individual variance is based on the limits of technology.

New Rule I (6) addresses the need for applicants to demonstrate that they are meeting (or soon will, via a compliance schedule) the category-specific general variance concentrations or conditions now in statute. The department is required to adopt the categories and their associated concentrations/conditions into department rule by May 31, 2016. After that, the concentrations/conditions associated with each category may be updated (i.e., made more stringent) by the department if more cost effective and efficient treatment technologies become available.

Concentrations/conditions applicable to each general variance category will be housed in department circular DEQ-12 Part B. New Rule I (7) describes the review and public comment process that will be carried out every three years, and the outcomes that may occur as a result. New Rule I (8) simply makes clear that in the development of a TMDL it may be determined that a point source discharger is an insignificant load of nutrients, and in such cases there would be no need for the discharger to request a nutrient standards variance (i.e., the current level of total nitrogen and total phosphorus removal is adequate) .

17.30.602 DEFINITIONS In this subchapter the following terms have the meaning indicated below and are supplemental to the definitions given in 75-5-303, MCA:

(1) through (15) remain the same.

(16) "Limits of technology" means wastewater treatment processes for the removal of nitrogen and phosphorus compounds from wastewater that can consistently achieve a concentration of 70 micrograms of total phosphorus per liter and 4,000 micrograms of total nitrogen per liter.

(16) through (32) remain the same but are renumbered (17) through (33).

(34) "Soluble reactive phosphorus" means dissolved orthophosphate, as P, determined by direct colorimetry from a filtered sample. The pore size of the filter used must be 0.45 µm. The RRV for soluble reactive phosphorus is 3 micrograms per liter.

(33) and (34) remain the same but are renumbered (35) and (36), respectively.

(35) (37) "Total nitrogen" means the total nitrogen concentration (as N) of unfiltered water. This may be determined by direct methods, or derived as the sum of the soluble (as N) and non-soluble (as N) nitrogen fractions. The filter used to separate the soluble and non-soluble fractions must be 0.45 µm. sum of all nitrate, nitrite, ammonia, and organic nitrogen, as N, in an unfiltered water sample. Total nitrogen in a sample may also be determined by persulfate digestion, or as the sum

of total kjeldahl nitrogen plus nitrate plus nitrite.

(36) (38) "Total phosphorus" means the total phosphorus concentration (as P) of unfiltered water sum of orthophosphates, polyphosphates, and organically bound phosphates, as P, in an unfiltered water sample. Total phosphorus may also be determined directly by persulfate digestion.

(37) through (40) remain the same but are renumbered (39) through (42).

(41) (43) "DEQ-7" means the department circular that is adopted and incorporated by reference in ARM 17.30.619 and is entitled "Montana Numeric Water Quality Standards." This circular establishes water quality standards for toxic, carcinogenic, bioconcentration, nutrient, radioactive, and harmful parameters, and also establishes human health-based water quality standards for the following specific nutrients with toxic effects: nitrate, nitrate + nitrite, and nitrite.

(44) "DEQ-12" means the department circular that is adopted and incorporated by reference in ARM 17.30.619 and is entitled "Montana Base Numeric Nutrient Standards and Nutrient Standards Variances" This circular contains numeric water quality standards for total nitrogen and total phosphorus in surface waters, describes procedures for receiving a variance from the standards, and will document recipients of individual variances.

REASON: The proposed amendments to ARM 17.30.602 provide new definitions (and modification of old definitions) in order to implement the nutrient standards. The amendments necessitated renumbering the existing definitions in rule. The new definition at (16), "Limits of Technology", is necessary in order to be able to implement New Rule I (2) discussed above. The concentration limits in (16) were derived after extensive discussions among department engineers, external engineers, and the nutrient work group. The new definition at (34), "Soluble reactive phosphorus", is necessary to implement related assessment information listed in DEQ-12 part A for Flathead Lake. Both total and soluble nutrient fractions have been developed for assessing this lake; the board is proposing that the total fractions be adopted as standards (consistent with other base numeric nutrient standards) and the soluble fractions be adopted as related assessment information. The modified definition of "Total nitrogen" (renumbered as 37) provides a more technically accurate description compared to the old definition. The same is true for "Total phosphorus" (renumbered as 38). In the definition for DEQ-7 (renumbered 43), "nutrient" has been removed because base numeric nutrient standards will now be housed in a new department circular, circular DEQ-12. Some nitrogen compounds (nitrate, nitrite, and nitrate + nitrate) have toxic effects at relatively high concentrations and standards for them are intended to protect human health; by definition at §75-5-103(2)(b), MCA, these compounds are not considered part of the base numeric nutrients standards. Therefore, they will remain in DEQ-7 and are now listed under the DEQ-7 definition for better clarity. The new definition at (44), "DEQ-12", defines the new department circular where numeric nutrient standards and variances from the standards will be housed. In addition to the criteria concentrations, the circular includes instructions on how to develop permits for base numeric nutrient standards, how the department will go about granting nutrient standards variances, and a table to document recipients of individual variances. As there are likely to be modifications and additions to parts of DEQ-12 going forward, the department concluded that a circular would be the best means by which this complex information could be routinely updated. And, of equal importance, all of the information will be made available to the public in a single document.

17.30.619 INCORPORATIONS BY REFERENCE (1) The board adopts and incorporates by reference the following state and federal requirements and procedures as part of Montana's surface water quality standards:

(a) Department Circular DEQ-12, entitled "Montana Base Numeric Nutrient Standards and Nutrient Standards Variances," Part A (September 2012 edition), which establishes numeric water quality standards for total nitrogen and total phosphorus in surface waters;

(a)-(b) Department Circular DEQ-7, entitled "Montana Numeric Water Quality Standards" (August 2010 edition), which establishes water quality standards for toxic, carcinogenic, bioconcentrating, nutrient, and harmful parameters and also establishes human health-based water quality standards for the following specific nutrients with toxic effects: nitrate; nitrate + nitrite; and nitrite;

(b) through (f) remain the same but are renumbered (c) through (g).

(2) The department adopts and incorporates by reference the following as part of Montana's surface water quality standards:

Department Circular DEQ-12, entitled "Montana Base Numeric Nutrient Standards and Nutrient Standards Variances," Part B (September 2012 edition), which establishes variances from the numeric water quality standards for total nitrogen and total phosphorus in surface waters adopted by the board in Part A of Department Circular DEQ-12.

(2) remains the same but is renumbered (3).

REASON: The proposed amendments to ARM 17.30.619 allow for dated versions of new department circular DEQ-12 to be incorporated into other parts of the rules. It is likely that DEQ-12 will be updated through time and these future changes will affect permit limits, TMDLs, etc. As such, the document needs to be dated so that users will know which version is current. In amended (a) of the rule, reference is made to Part A of DEQ-12. Part A includes a table of the base numeric nutrient standards and, as such, is to be adopted by the board pursuant to its authority to adopt water quality standards at §75-5-301(2), MCA. The amendments to the definitions for Circular DEQ-7 correspond to those already discussed above for definitions (ARM 17.30.602). Part B of Circular DEQ-12, which focuses on nutrient standards variances and how these are to be implemented and updated, is not adopted by the board but is instead adopted by the department. Part B of DEQ-12 may also change through time (for example, if individual variances are granted they will be documented here), and so it needs to be a dated document as provided for here in (2).

17.30.622 A-1 CLASSIFICATION STANDARDS (1) through (2) remain the same.

(3) No person may violate the following specific water quality standards for waters classified A-1:

(a) through (g) remain the same.

(h) Concentrations of carcinogenic, bioconcentrating, toxic, radioactive, nutrient, or harmful parameters may not exceed the applicable standards set forth in department Circular DEQ-7 and, unless a nutrient standards variance from the base numeric nutrient standards has been granted pursuant to DEQ-12 Part B, Circular DEQ-12 Part A.

(i) Dischargers issued permits under ARM Title 17, chapter 30, subchapter

13, shall conform with ARM Title 17, chapter 30, subchapter 7, the nondegradation rules, and may not cause receiving water concentrations to exceed the applicable standards contained in department Circular DEQ-7 and, when applicable, the base numeric nutrient standards or nutrient standards variances in DEQ-12 when stream flows equal or exceed the design flows specified in ARM 17.30.635(4).

(j) through (k) remain the same.

17.30.623 B-1 CLASSIFICATION STANDARDS (1) remains the same.

(2) No person may violate the following specific water quality standards for waters classified B-1:

(a) through (g) remain the same.

(h) Concentrations of carcinogenic, bioconcentrating, toxic, radioactive, nutrient, or harmful parameters may not exceed the applicable standards set forth in department Circular DEQ-7 and, unless a nutrient standards variance from the base numeric nutrient standards has been granted pursuant to DEQ-12 Part B, Circular DEQ-12 Part A.

(i) Dischargers issued permits under ARM Title 17, chapter 30, subchapter 13, shall conform with ARM Title 17, chapter 30, subchapter 7, the nondegradation rules, and may not cause receiving water concentrations to exceed the applicable standards specified in department Circular DEQ-7 and, when applicable, the base numeric nutrient standards or nutrient standards variances in DEQ-12 when stream flows equal or exceed the design flows specified in ARM 17.30.635(4).

(j) through (k) remain the same.

17.30.624 B-2 CLASSIFICATION STANDARDS (1) remains the same.

(2) No person may violate the following specific water quality standards for waters classified B-2:

(a) through (g) remain the same.

(h) Concentrations of carcinogenic, bioconcentrating, toxic, radioactive, nutrient, or harmful parameters may not exceed the applicable standards set forth in department Circular DEQ-7 and, unless a nutrient standards variance from the base numeric nutrient standards has been granted pursuant to DEQ-12 Part B, Circular DEQ-12 Part A.

(i) Dischargers issued permits under ARM Title 17, chapter 30, subchapter 13, shall conform with ARM Title 17, chapter 30, subchapter 7, the nondegradation rules, and may not cause receiving water concentrations to exceed the applicable standards specified in department Circular DEQ-7 and, when applicable, the base numeric nutrient standards or nutrient standards variances in DEQ-12 when stream flows equal or exceed the design flows specified in ARM 17.30.635(4).

(j) through (k) remain the same.

17.30.625 B-3 CLASSIFICATION STANDARDS (1) remains the same.

(2) No person may violate the following specific water quality standards for waters classified B-3:

(a) through (g) remain the same.

(h) Concentrations of carcinogenic, bioconcentrating, toxic, radioactive, nutrient, or harmful parameters may not exceed the applicable standards set forth in department Circular DEQ-7 and, unless a nutrient standards variance from the base

numeric nutrient standards has been granted pursuant to DEQ-12 Part B, Circular DEQ-12 Part A.

(i) Dischargers issued permits under ARM Title 17, chapter 30, subchapter 13, shall conform with ARM Title 17, chapter 30, subchapter 7, the nondegradation rules, and may not cause receiving water concentrations to exceed the applicable standards specified in department Circular DEQ-7 and, when applicable, the base numeric nutrient standards or nutrient standards variances in DEQ-12 when stream flows equal or exceed the design flows specified in ARM 17.30.635(4).

(j) through (k) remain the same.

17.30.626 C-1 CLASSIFICATION STANDARDS (1) remains the same.

(2) No person may violate the following specific water quality standards for waters classified C-1:

(a) through (g) remain the same.

(h) Concentrations of carcinogenic, bioconcentrating, toxic, radioactive, nutrient, or harmful parameters may not exceed the applicable standards set forth in department Circular DEQ-7 and, unless a nutrient standards variance from the base numeric nutrient standards has been granted pursuant to DEQ-12 Part B, Circular DEQ-12 Part A.

(i) Dischargers issued permits under ARM Title 17, chapter 30, subchapter 13, shall conform with ARM Title 17, chapter 30, subchapter 7, the nondegradation rules, and may not cause receiving water concentrations to exceed the applicable standards specified in department Circular DEQ-7 and, when applicable, the base numeric nutrient standards or nutrient standards variances in DEQ-12 when stream flows equal or exceed the design flows specified in ARM 17.30.635(4).

(j) through (k) remain the same.

17.30.627 C-2 CLASSIFICATION STANDARDS (1) remains the same.

(2) No person may violate the following specific water quality standards for waters classified C-2:

(a) through (g) remains the same.

(h) Concentrations of carcinogenic, bioconcentrating, toxic, radioactive, nutrient, or harmful parameters may not exceed the applicable standards set forth in department Circular WQB-DEQ-7 and, unless a nutrient standards variance from the base numeric nutrient standards has been granted pursuant to DEQ-12 Part B, Circular DEQ-12 Part A.

(i) Dischargers issued permits under ARM Title 17, chapter 30, subchapter 13, shall conform with ARM Title 17, chapter 30, subchapter 7, the nondegradation rules, and may not cause receiving water concentrations to exceed the applicable standards specified in department Circular DEQ-7 and, when applicable, the base numeric nutrient standards or nutrient standards variances in DEQ-12 when stream flows equal or exceed the design flows specified in ARM 17.30.635(4).

(j) through (k) remain the same.

REASON: The proposed amendments to ARM 17.30.622 through 627 incorporate circular DEQ-12 into the surface water classes. In each of the six use classes for surface water defined in ARM 17.30.622 through 627 (use classes A-1, B-1, B-2, B-3, C-1, and C-2), the lettered subsections under (2) define the water quality standards that no person may violate. These include subsection (h) which refers to

water quality standards in Circular DEQ-7. The amendment to (h) is the incorporation of the nutrient concentrations found in Circular DEQ-12 Part A and, further, clarification that a person may violate the water quality standards in DEQ-12 Part A if they have been granted a nutrient standards variance pursuant to Part B of the circular. Amendments to subsection (i) of the rules address nondegradation and permits. Board adoption of the base numeric nutrient standards will alter the way the department applies nondegradation rules for nutrients. At present, nutrients are addressed by a narrative standard (discussed in the Overview) and, for narrative standards, the nonsignificance threshold (i.e., a level below which water quality degradation is assumed not to have occurred) is defined as a measurable change in aquatic life or ecological integrity. With the adoption of DEQ-12 Part A, nutrients will be numeric standards and, therefore, the approach by which nondegradation of surface waters is determined will change. For numeric standards, nonsignificance thresholds are calculated as a percent of the standard's concentration; thus, changes to (i) direct the department to the appropriate document (DEQ-12) to locate the numeric nutrient standards used to calculate nonsignificance thresholds.

17.30.628 I CLASSIFICATION STANDARDS (1) remains the same.

(2) No person may violate the following specific water quality standards for waters classified I:

(a) through (i) remain the same.

(j) Beneficial uses are considered supported when the concentrations of toxic, carcinogenic, or harmful parameters in these waters do not exceed the applicable standards specified in department Circular DEQ-7 and DEQ-12 when stream flows equal or exceed the flows specified in ARM 17.30.635(4) or, alternatively, for aquatic life when site-specific criteria are adopted using the procedures given in 75-5-310, MCA. The limits shall be used as water quality standards for the affected waters and as the basis for permit limits instead of the applicable standards in department Circular DEQ-7.

(k) Limits for toxic, carcinogenic, or harmful parameters in new discharge permits issued pursuant to the MPDES rules (ARM Title 17, chapter 30, subchapter 13) are the larger of either the applicable standards specified in department Circular DEQ-7 and, when applicable, the base numeric nutrient standards or nutrient standards variances in DEQ-12, site-specific standards or one-half of the mean in-stream concentrations immediately upstream of the discharge point.

REASON: The proposed amendment to ARM 17.30.628 incorporates new circular DEQ-12 into the I surface water class. I class waterbodies are those which had severe human-caused pollution problems at the time the surface water class system was adopted in the 1970s, and it is the intent of the state that these waterbodies will eventually support beneficial uses typical for ecologically-similar unimpacted waterbodies. Amendments to (j) incorporate DEQ-12 alongside DEQ-7.

17.30.629 C-3 CLASSIFICATION STANDARDS (1) remains the same.

(2) No person may violate the following specific water quality standards for waters classified C-3:

(a) through (g) remain the same.

(h) Concentrations of carcinogenic, bioconcentrating, toxic, radioactive, nutrient, or harmful parameters may not exceed the applicable standards set forth in

department Circular DEQ-7 and, unless a nutrient standards variance from the base numeric nutrient standards has been granted pursuant to DEQ-12 Part B, Circular DEQ-12 Part A.

(i) Dischargers issued permits under ARM Title 17, chapter 30, subchapter 13, shall conform with ARM Title 17, chapter 30, subchapter 7, the nondegradation rules, and may not cause receiving water concentrations to exceed the applicable standards specified in department Circular DEQ-7 and, when applicable, the base numeric nutrient standards or nutrient standards variances in DEQ-12 when stream flows equal or exceed the design flows specified in ARM 17.30.635(4).

(j) through (k) remain the same.

REASON: The proposed amendments to ARM 17.30.629 incorporate circular DEQ-12 into the C-3 surface water class. In ARM 17.30.629, the lettered subsections under (2) define the water quality standards that no person may violate; these include subsection (h) which refers to water quality standards in Circular DEQ-7. The amendment to (h) is the incorporation of the nutrient concentrations found in Circular DEQ-12 Part A and, further, clarification that a person may violate the water quality standards in DEQ-12 Part A if they have been granted a nutrient standards variance pursuant to Part B of the circular. Amendments to subsection (i) of the rules address nondegradation and permits. Board adoption of the base numeric nutrient standards will alter the way the department applies nondegradation rules for nutrients. At present, nutrients are addressed by a narrative standard (discussed in the Overview) and, for narrative standards, the nonsignificance threshold (i.e., a level below which water quality degradation is assumed not to have occurred) is defined as a measurable change in aquatic life or ecological integrity. With the adoption of DEQ-12 Part A, nutrients will be numeric standards and, as such, the approach by which degradation of surface waters is determined will change. For numeric standards, nonsignificance thresholds are calculated as a percent of the standard's concentration; thus, changes to (i) direct the department to the appropriate document (DEQ-12) to locate the numeric nutrient standards used to calculate nonsignificance thresholds.

17.30.631 NUMERIC ALGAL BIOMASS AND NUTRIENT STANDARDS

~~(1) No person may violate the numeric water quality standards identified below.~~

~~(2) The numeric nutrient and standing crop of benthic algae water quality standards for the mainstem Clark Fork River from below the Warm Springs Creek confluence (N46°11'17", W112°46'03") to the confluence with the Flathead River (N47°21'45", W114°46'43") are as follows:~~

~~(a) In the mainstem Clark Fork River from below the Warm Springs Creek confluence (N46°11'17", W112°46'03") to the confluence with the Blackfoot River (N46°52'19", W113°53'35") the numeric water quality standards for Total Nitrogen, Total Phosphorus, and benthic algal chlorophyll a, applicable from June 21 to September 21, are as follows:~~

| <u>(i) Parameter</u> | <u>Concentration</u> |
|-------------------------|----------------------|
| Total Phosphorus as P | 20 µg/L |
| Total Nitrogen as N | 300 µg/L |
| <u>(ii) Parameter</u> | <u>Density</u> |
| (Summer mean) – Benthic | 100 mg/square meter |

| | |
|--|---------------------|
| algal chlorophyll a (Maximum) – Benthic | 150 mg/square meter |
| algal chlorophyll a | |

(b) ~~In the Clark Fork River from the confluence with the Blackfoot River (N46°52'19", W113°53'35") to the confluence with the Flathead River (N47°21'45", W114°46'43") the numeric water quality standards for Total Nitrogen, Total Phosphorus, and benthic algal chlorophyll a, applicable from June 21 to September 21, are as follows:~~

| | |
|--|----------------------|
| (i) <u>Parameter</u> | <u>Concentration</u> |
| Total Phosphorus as P | 39 µg/L |
| Total Nitrogen as N | 300 µg/L |
| (ii) <u>Parameter</u> | <u>Density</u> |
| (Summer mean) – Benthic | 100 mg/square meter |
| algal chlorophyll a (Maximum) – Benthic | 150 mg/square meter |
| algal chlorophyll a | |

REASON: The Board's rationale for the proposed repeal of ARM 17.30.631 is that the contents of the entire rule will be housed in department circular DEQ-12 Part A. In addition to moving the contents of ARM 17.30.631 to the new circular, there are proposed changes to the *content* of ARM 17.30.631 that will appear in DEQ-12 Part A. Specifically, the time period during which the Clark Fork River algal biomass and nutrient standards apply will be changed to July 1st to September 30th of each year. This change is in keeping with the time period being proposed for other streams and rivers in the region of the Clark Fork River. The proposed July 1 to September 30th time frame was derived from a scientific analysis of streams and rivers across the state and is documented in a peer-reviewed scientific journal article. The total phosphorus standard for the reach of the Clark Fork River commencing at the confluence of the Blackfoot River has been lowered from 39 µg/L to 24 µg/L. Scientific analysis of twelve years of monitoring data on the Clark Fork River indicate that the lower TP standard is necessary in order to achieve the benthic (bottom-attached) algal biomass levels; this is documented in a peer-reviewed scientific journal article. In summary, the proposed rule amendments (period of application of the standards, updated total phosphorus standard) will bring the standards for the Clark Fork River up-to-date in terms of the state of the science.

17.30.635 GENERAL TREATMENT STANDARDS (1) through (3) remain the same.

(4) For design of disposal systems, stream flow dilution requirements must be based on the minimum consecutive seven-day average flow which may be expected to occur on the average of once in 10 years. When dilution flows are less than the above design flow at a point discharge, the discharge is to be governed by the permit conditions developed for the discharge through the waste discharge permit program. If the flow records on an affected surface water are insufficient to calculate a 10-year seven-day low flow, the department shall determine an acceptable stream flow for disposal system design. ~~The department shall determine the acceptable stream flow for disposal system design for controlling nitrogen and phosphorus concentrations.~~ For total nitrogen and total phosphorus, the stream

flow dilution requirements must be based on the seasonal 14Q5, which is the lowest average 14 consecutive day low flow, occurring from July through October, with an average recurrence frequency of once in 5 years.

REASON: The proposed amendments to ARM 17.30.635 will provide a low flow for the design of disposal systems specific to eutrophication-based nutrient standards. The text of the rule that received strike-out was essentially placeholder language instructing the department to derive an appropriate low flow for nutrients. That work has now been completed. Work by the department and others shows that nuisance benthic algae can develop in about 15-20 days once nutrient concentrations exceed the proposed standards. In many streams these algae levels can ultimately lead to dissolved oxygen impacts. The department recommends the use of the seasonal 14Q5 flow for the design of disposal systems as this flow should not allow excess algae levels to develop more often than about once in every five summers, on average. This frequency of exceedence is within the acceptable recommendations of the U.S. Environmental Protection Agency for the protection of aquatic life. Unlike the 7Q10 flow, which will continue to be used for parameters in DEQ-7 and which was derived from year-round flow data, the seasonal 14Q5 flow is derived from July through October data and is therefore in alignment with the nutrient standards' periods of application. The seasonal 14Q5 is routinely calculated and reported by the U.S. Geological Survey and will be readily available for permit writers to use.

17.30.702 DEFINITIONS The following definitions, in addition to those in 75-5-103, MCA, apply throughout this subchapter (Note: 75-5-103, MCA, includes definitions for "base numeric nutrient standards," "degradation," "existing uses," "high quality waters," "mixing zone," and "parameter"):

(1) through (16) remain the same.

~~(17) "Nutrients" means total inorganic phosphorus and total inorganic nitrogen.~~

(18) through (21) remain unchanged but are renumbered (17) through (20).

(22) (21) "Reporting values (RRV)" means the detection level that must be achieved in reporting surface water or ground water monitoring or compliance data to the department unless otherwise specified in a permit, approval, or authorization issued by the department. The RRV is the department's best determination of a level of analysis that can be achieved by the majority of commercial, university, or governmental laboratories using EPA approved methods or methods approved by the department. The RRV is listed in Circular DEQ-7, Part A of Circular DEQ-12, and the definition of total inorganic phosphorus.

(23) remains the same but is renumbered (22).

(23) "Total inorganic phosphorus" means the sum of all orthophosphates, as P, in an unfiltered water sample. Total inorganic phosphorus may also be determined by direct colorimetry. The RRV for total inorganic phosphorus is 3 micrograms per liter.

(24) "Total nitrogen" means the sum of all nitrate, nitrite, ammonia, and organic nitrogen, as N, in an unfiltered water sample. Total nitrogen in a sample may also be determined by persulfate digestion, or as the sum of total kjeldahl nitrogen plus nitrate plus nitrite.

(25) "Total phosphorus" means the sum of orthophosphates, polyphosphates, and organically bound phosphates, as P, in an unfiltered water sample. Total phosphorus may also be determined directly by persulfate digestion.

(24) through (25) remain the same but are renumbered (26) and (27).

(26) (28) The board adopts and incorporates by reference:

(a) Department Circular DEQ-12, entitled "Montana Base Numeric Nutrient Standards and Nutrient Standards Variances," Part A (September 2012 edition), which establishes numeric water quality standards for total nitrogen and total phosphorus in surface waters.

(a) (b) Department Circular DEQ-7, entitled "Montana Numeric Water Quality Standards" (August 2010 edition), which establishes water quality standards for toxic, carcinogenic, bioconcentrating, nutrient, radioactive, and harmful parameters and also establishes human health-based water quality standards for the following specific nutrients with toxic effects: nitrate; nitrate + nitrite, and nitrite;

(b) through (d) remain the same but are renumbered (c) through (e).

REASON: The proposed amendments to ARM 17.30.702 will modify current definitions in the nondegradation rules and will add new definitions necessary for the implementation of numeric nutrient standards. "Base numeric nutrients standards" have been added to the list of definitions from §75-5-103, MCA that are incorporated by reference. Definition (17)"Nutrients" is being repealed because it is not consistent with the use of the term in circular DEQ-12 (which contains standards for total nutrients). The two soluble compounds currently listed under (17) are found in DEQ-7 and, there, linked to the eutrophication narrative standard via footnote 8. These compounds are being superseded by the total nutrients in DEQ-12 Part A and will be removed from DEQ-7. Further, definition (17) added no clear value to the nondegradation rules because, where needed, specific nutrient compounds or forms (e.g., TKN, nitrate as N) are named or referenced in the nondegradation rules. The new definition at (23), "total inorganic phosphorus" is added here because its equivalent form ("phosphorus, inorganic") and associated RRV will be deleted from DEQ-7 as part of the overall movement of eutrophication-oriented nutrient standards to DEQ-12. This compound is only referred to in the nondegradation rules at ARM 17.30715(2)(e) and there is no concentration limit associated with it; therefore, only a required reporting value (RRV) is provided here. The RRV has been modified (from 1 µg/L to 3 µg/L) to reflect routinely-achievable levels and is consistent with RRV derivation methods currently used for compounds in circulars DEQ-7 and DEQ-12. New definitions (24) and (25) correspond to those discussed above for amendments to ARM 17.30.602. In new (28)(a), circular DEQ-12 with a date is provided to assure that readers are using the most current version. In (28)(b), the department circular DEQ-7 definition has been amended for the same reasons described above for ARM 17.30.602.

17.30.715 CRITERIA FOR DETERMINING NONSIGNIFICANT CHANGES IN WATER QUALITY (1) The following criteria will be used to determine whether certain activities or classes of activities will result in nonsignificant changes in existing water quality due to their low potential to affect human health or the environment. These criteria consider the quantity and strength of the pollutant, the length of time the changes will occur, and the character of the pollutant. Except as

provided in (2), changes in existing surface or ground water quality resulting from the activities that meet all the criteria listed below are nonsignificant, and are not required to undergo review under 75-5-303, MCA:

(a) activities that would increase or decrease the mean monthly flow of a surface water by less than 15% or the seven-day 10 year low flow by less than 10%;

(b) discharges containing carcinogenic parameters or parameters with a bioconcentration factor greater than 300 at concentrations less than or equal to the concentrations of those parameters in the receiving water;

(c) discharges containing toxic parameters ~~or nutrients~~, except as specified in (1)(d) and (e), which will not cause changes that equal or exceed the trigger values in department Circular DEQ-7. Whenever the change exceeds the trigger value, the change is not significant if the resulting concentration outside of a mixing zone designated by the department does not exceed 15% of the lowest applicable standard;

(d) and (e) remain the same.

(f) changes in the quality of water for any harmful parameter, including parameters listed in DEQ-12 Part A, for which water quality standards have been adopted other than ~~nitrogen, phosphorous, and~~ carcinogenic, bioconcentrating, or toxic parameters, in either surface or ground water, if the changes outside of a mixing zone designated by the department are less than 10% of the applicable standard and the existing water quality level is less than 40% of the standard;

REASON: The proposed amendments to ARM 17.30.715 will allow the department to calculate nonsignificant changes in water quality for the base numeric nutrient standards in circular DEQ-12 Part A. If adopted by the board, base numeric nutrient standards will preclude the need to use the narrative standards at ARM 17.30.637(1)(e) to interpret eutrophication-based water quality impacts from nutrients. Base numeric nutrient standards are intended to control eutrophication (see definition of eutrophication in Overview), and at the concentrations found in circular DEQ-12 Part A the department considers base numeric nutrient standards to be harmful parameters. Therefore, DEQ-12 Part A is incorporated into (f), the section of the nondegradation rules addressing nonsignificance specific to harmful parameters. Nitrogen compounds at concentrations that ARE toxic, e.g. nitrate at 10 mg/L, will remain in DEQ-7 (as discussed earlier) and toxics-based nonsignificance criteria applicable to such compounds will continue to be applied to them. The strike-out in (c) corresponds with the retaining of toxic-level nitrogen compounds in DEQ-7, and the move of eutrophication-based nitrogen and phosphorus standards to DEQ-12 Part A.